



FUJI CSD-300 TWIN SPINDLE LATHE

Call for pricing

[1-815-597-5341](tel:1-815-597-5341)

The CSD-300 Twin Spindle Lathe features parallel twin two spindle CNC lathes with both Z- and X-axis box way slides for heavy cutting, superior surface finish and longer tool life.

This series is equipped with Fuji-engineered hydraulic clamping gantry robot loaders to maintain tight tolerances.

- Reliable automated heavy parts loading
 - 200mm x 100mm
 - (7.87 x 3.93 inch) and 5kg + 5kg capacity
 - 8" - 10" workholding
 - Quick and accurate automated turning and handling of complex parts reduces labor costs and increases productivity
 - Turret capable of achieving speed of 0.26 sec/index.
 - Swivel control panel
 - Rear or optional side positioned discharge chip conveyor
 - Maintenance items are all conveniently located in one section of the machine
-

SKU: N/A

Categories: [New Machines](#)

ADDITIONAL INFORMATION

Recommended work size	ø120 x 100 mm
Spindle Diameter	100 mm
Spindle Nose	A2-6
Spindle Bore	56 mm
Spindle Speed - rpm	Max. 3630 (optional 4000)
Spindle Motor	11 / 15 kW
Slide stroke: X-axis	140 mm
Slide stroke: Z-axis	200 mm
Turret Tool Stations	10 + 10
Robot Controller	FANUC