



HANWHA XE12 AUTOMATIC SWISS LATHE

Call for pricing

[1-815-597-5341](tel:1-815-597-5341)


High-Precision, High-Productivity CNC Automatic Lathe

- Enhanced main spindle and cross drill performance - higher torque and horsepower with a high-performance motor installed
- Minimized vibration and thermal displacement - optimal mold casting and rib structure through finite element analysis

SKU: N/A

Categories: [New Machines](#)

GALLERY IMAGES



	Model	XP12S	XP16S
NC		Fanuc-1	
Max. machining diameter		Ø12	Ø16
Z1 Stroke (mm)		140	
Main spindle	rpm	12,000	
	kW	2.2/3.5	
OD tool	No. of tools	6 (∅12mm)	
Front tool	No. of tools	3 (ER11, Ø20)	
	No. of tools	3 (ER11 x 2, ER16 x 1)	
Cross drill	rpm	6,000	
	kW	0.5	
Sub spindle	rpm	8,000	
	kW	0.55/1.1	
Machine size (L x W x H) (mm)		1,650 x 1,090 x 1,640	
Weight (kg)		1,800	
Power Consumption (Cable size)		10kVA, 6.7kW (VCTF 10SQ x 4C)	
Air Flow rate (Liter/Min)		120 - 150	

ADDITIONAL INFORMATION

NC	Fanuc 0i-TF
Max machining diameter	Ø12 mm
Main Spindle Max Speed	12,000 rpm
Main Spindle Motor Power	2.2 / 3.7 kW
Sub Spindle Max Speed	8,000 rpm
Sub Spindle Motor Power	0.55 / 1.1 kW
Cross Drill Max Speed	6,000 rpm
Cross Drill Motor Power	1.0 kW / 0.5 kW
Weight	1,900 kg
Machine Size (L x W x H)	2,110 x 1,230 x 1,700

