



## HURCO VMX24I PERFORMANCE MC - (CAT40, 12K, 30T)

Call for pricing

[1-815-597-5341](tel:1-815-597-5341)

### Machine Faster with the Hurco HS Series of High-Speed Mills

Integral spindle. Premium components. Built for speed. Built to last.

Our newest line of mills has the quality components and specifications you need to go fast. The VMXHSi high-speed machining centers combine all of the ergonomic design features and robustness of our proven VMX mills with components required for high speed machining.

---

**SKU:** N/A

**Categories:** [New Machines](#)

## ADDITIONAL INFORMATION

<b>Travel (X, Y, Z)</b>	24 x 20 x 24 in
<b>Spindle Nose to Table</b>	6.0 in
<b>Table Size</b>	30 x 20 in
<b>Max Weight on Table</b>	3,000 lbs (1,360 kg)
<b>T-Slot Size</b>	5 x .71 in
<b>Peak Spindle Motor</b>	18 hp @ 600 rpm (9 kW @ 600 rpm)
<b>12K</b>	105 ft-lbs @ 600 rpm (143 Nm @ 600 rpm)
<b>Number of Tools</b>	30
<b>Tool Type</b>	CAT 40
<b>Max Tool Diameter</b>	3.1 in (79 mm)
<b>Max Tool Length</b>	11.8 in (300 mm)
<b>Max Tool Weight</b>	15.4 lb (7 kg)
<b>Max Programmable Feedrate</b>	1,260 inches/minute
<b>Rapid Traverse X,Y,Z Axis</b>	1,496, 1,496, 1,260 in/min
<b>Machine Height</b>	106.7 in
<b>Required Floor Space</b>	154.7 x 159.3 in
<b>Machine Weight</b>	10,468 lbs
<b>Voltage Required</b>	230 VAC / 60 Hz +/- 5%

**Air Needed**

3-15 CFM @ 80-100 psi

**Power Rating**

18 KVA (47.2 amps)