



NAKAMURA-TOME SUPER NTMX

Call for pricing or Make an offer

[1-815-597-5341](tel:1-815-597-5341)

Description: NAKAMURA-TOME SUPER NTMX
TURNING CENTER

Stock Number: 2515

Manufacturer: NAKAMURA-TOME

Model: SUPER NTMX

Age: 2011


Subcategory: Multi-Axis

Serial Number :

SKU: 2515

Category: [Used Equipment](#)

GALLERY IMAGES



1

SPECIFICATIONS

MAX TURNING DIAMETER: 7.87"
MAX SWING OVER SLIDE: 8.07"
DISTANCE BETWEEN CENTERS: 38.58
SLIDE TRAVEL (X1/ X2): 22.44"/ 5.13"
SLIDE TRAVEL (Z1/ Z2): 51.10"/ 25.90"
SLIDE TRAVEL- Y: 3.93"
SLIDE TRAVEL B2: 30.31"
MILLING SPINDLE SPEED: 12,000 RPM
MILLING SPINDLE MOTOR: 10 HP
MILLING SPINDLE B-AXIS INDEXING RANGE: 190 DEG (+/- 95 DEG)
TOOL CHANGER (DUAL ARM): 24 X 2 (UPPER TOOL SPINDLE)
TURNING SPINDLE NOSE: A2-5
BAR CAPACITY (LEFT SIDE): 2.5"
BAR CAPACITY (RIGHT SIDE): 2.0"
CHUCK SIZE (3-JAW CHUCK): 6" (RIGHT SIDE)
LEFT SPINDLE SPEED: 4,500 RPM
LEFT SPINDLE MOTOR: 15 HP
RIGHT SPINDLE SPEED: 5,000 RPM
RIGHT SPINDLE MOTOR: 15 HP

TURRET: 24 STATION
MACHINE DIMENSIONS: 166.29" X 164.88" X 104.33"
MACHINE WEIGHT: 31,967 LBS

EQUIPPED WITH

FANUC 31iA5 CNC CONTROL
HIGH PRESSURE COOLANT
HAINBUCH QUICK CHANGE SYSTEM
CHIP CONVEYOR
MANUAL HANDLE RETRACE
NT NURSE II SYSTEM
NT WORK NAVIGATOR
PART CATCHER
RENISHAW OMP60
CAPTO C4 TYPE TOOLS
C AXIS FUNCTION L/R
ALL AVAILABLE MANUALS