



## TAKUMI VC-1052

Call for pricing

[1-815-597-5341](tel:1-815-597-5341)

VC Series vertical machining centers are fast, three-axis linear guide machining centers designed for customers doing batch or production work

### Fast Rapids + High Precision

- Rapids of 1,417 inches per minute
- Perfect combination of fast cutting and high stability
  - Designed and built for mold machining
- Pre-tensioned ballscrews minimize thermal growth and improve accuracy
  - Ergonomic table simplifies setup
- Swiveling control panel optimizes floor space utilization
  - Robust, precision-machined castings
    - Hand-scraped contact areas
- 24-tool, CAT 40, swing-arm ATC standard
- Integrated washdown and chip management system
- Spindle chiller maximizes heat dissipation

---

**SKU:** N/A

**Categories:** [New Machines](#)



## ADDITIONAL INFORMATION

<b>Travel</b>	41.7 x 20.47 x 24 in
<b>Table Size</b>	45.67 x 20.47 in
<b>Table Max Load</b>	1,433 lbs
<b>Spindle Speed</b>	12,000 RPM
<b>Motor Power</b>	10.1/14.8 HP (7.5/11 kW)
<b>Spindle Taper</b>	CAT/BT 40
<b>Magazine Capacity</b>	24 tools
<b>Rapids</b>	1,417 x 1,417 x 944 in
<b>Machine Weight</b>	13,007 lbs
<b>Operating Dimensions</b>	195.15 x 147.36 x 122.01 in
<b>Pneumatic Pressure</b>	5 CFM @ 85-115 psi
<b>Electrical Power Consumption</b>	30 KVA